

Performance Bulletin


Test Date: 29th September 2017



F25 (w/ opt. tiller kit)

Performance Data

RPM	Ave Km/h	Ave L/h	Ave Km/L
1000	4.50	0.70	6.43
1500	6.35	1.00	6.35
2000	8.20	1.60	5.13
2500	9.50	2.25	4.22
3000	11.95	3.20	3.73
3500	20.00	3.60	5.56
4000	27.10	4.30	6.30
4500	32.70	5.90	5.54
5000	37.30	6.95	5.37
5500	41.85	8.65	4.84
5700	44.50	9.10	4.89



Test Performed by certified Yamaha Technicians

Boat Manufactured by:

www.enlightenedboating.com

EZY TOPPER 4.1M

Length (LOA)	4.10M
Beam	1.75M
Dry Weight	85KGS
Max Hp	40HP
Fuel Capacity	24L
Weight as Tested (approximate)	369KGS

F25C

Displacement	.43L
Engine Type	4-Valve SOHC, In-Line 2
Weight	64kg
Gear Ratio	2.08 (27/13)
Mounting Height	0 Hole

PROPELLER

Series	F Series Alloy
Diameter/ Pitch	9 7/8 x 11 1/4"
Part Number	664-45947-01

TEST CONDITIONS

Crew	2
Air Temperature	33.0°C
Wind Speed	<8 Knots
Fuel	12L
Conditions	Flat—Salt Water

TEST PERFORMANCE SUMMARY

Max Ave Speed	44.50Km/h or 23.99Knots
Best Cruising Km/L	6.30Km/L @ 4000rpm
Range, Based on 95% Fuel Capacity at Best Km/L	144 Kilometres
0 - 30 Km/h	7.18 Seconds (35.25M)

Data may vary due to changes in weather, tides, boat load, hull & propeller conditions, temperature, atmospheric pressure and wind direction. Fuel data gathered with a non-calibrated Yamaha fuel gauge. Speed data recorded with GPS receiver.
Yamaha Motor Australia accepts no responsibility for the accuracy of these readings.
All test data is recorded with the engine fully trimmed in (-4), until 5500 RPM, where possible.